Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	253	((network near3 (management monitor$3)) same (representation and (status or condition)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:44
L2	108	((network near3 (management monitor$3)) with (representation and (status or condition)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 14:54
L3	30	2 and 709/223.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 14:55
L4	12690	simulat$4 near5 (network frame connect$4)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:12
L5	16	4 and 2	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L6	29	4 and 1	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L7	13	6 not 5	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:01
L8	14608	simulat$4 near5 (network frame connect$4 pin$1 plug$4 connector$1 grid$1 jack$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:19
L9	29	1 and 4	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:19
L10	29	1 and 8	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 15:44

S69	3	Chaudhry.in. and "709"/$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 16:58
S70	1	Chaudhry.in. and "345"/$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 16:59
S71	109	(network near6 (web or website)) and 345/738.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S72	573	java adj servlet	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S73	38	(java adj servlet) and "345"/$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/13 18:37
S74	368	(switch near3 board) with pin$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:26
S75	41045	matrix near4 (block$1 section part$1 frame$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:02
S76	9	((switch near3 board) with pin$1) with (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:53
S77	9	((switch near3 board) with pin$1) same (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:53
S78	19	((switch near3 board) with pin$1) and (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:54
S79	10	(((switch near3 board) with pin$1) and (matrix near4 (block$1 section part$1 frame$1))) not (((switch near3 board) with pin$1) same (matrix near4 (block$1 section part$1 frame$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:54

S80	604	(switch near5 board) with pin$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:57
S81	9	((switch near5 board) with pin$1) with (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S82	9	((switch near5 board) with pin$1) same (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S83	22	((switch near5 board) with pin$1) and (matrix near4 (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S84	13	(((switch near5 board) with pin$1) and (matrix near4 (block$1 section part$1 frame$1))) not (((switch near5 board) with pin$1) same (matrix near4 (block$1 section part$1 frame$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:58
S85	83118	matrix with (block$1 section part$1 frame$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 18:59
S86	10	((switch near5 board) with pin$1) with (matrix with (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:00
S87	36	((switch near5 board) with pin$1) and (matrix with (block$1 section part$1 frame$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:00
S88	14	(((switch near5 board) with pin$1) and (matrix with (block$1 section part$1 frame$1))) not (((switch near5 board) with pin$1) and (matrix near4 (block$1 section part$1 frame$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:01

S89	7	((switch near3 board) with pin$1) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:01
S90	1265	(matrix near4 (block$1 section part$1 frame$1)) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:03
S91	12	((matrix near4 (block$1 section part$1 frame$1)) and (user near2 interface)) and ((switch near5 board) and pin$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:04
S92	3	"5937202".URPN.	USPAT	OR	OFF	2004/10/24 19:20
S93	7	("3916383" | "4727503" | "4933936" | "4969469" | "5119323" | "5179714" | "5291422").PN.	USPAT	OR	OFF	2004/10/24 19:21
S94	3599	(switch near3 board) with (pin$1 phone connect$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:30
S95	2358	(switch near3 board) near5 (pin$1 phone connect$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S96	0	((switch near3 board) near5 (pin$1 phone connect$4)) and "771"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S97	0	((switch near3 board) near5 (pin$1 phone connect$4)) and "772"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S98	0	((switch near3 board) near5 (pin$1 phone connect$4)) and 345/771.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28
S99	0	"771"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:28

S10 0	22561	"711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S10 1	7	((switch near3 board) near5 (pin$1 phone connect$4)) and "711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:29
S10 2	13	((switch near3 board) with (pin$1 phone connect$4)) and "711"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:30
S10 3	37694	(network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:44
S10 4	33189	(user near2 interface) near6 (control$4 monitor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:37
S10 5	18	((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with ((user near2 interface) near6 (control$4 monitor$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:40
S10 6	2007	((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) and ((user near2 interface) near6 (control$4 monitor$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:40
S10 7	5202	(phone) near5 (connect$4 near5 (line$1 port$1 pin$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:41
S10 8	452	((phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) and ((user near2 interface) near6 (control$4 monitor$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:41
S10 9	3	((phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with ((user near2 interface) near6 (control$4 monitor$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:42

S11 0	1684	((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) same (jump$4 or (switch$3 near3 card) or pin$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:46
S11 1	4	(((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1)) same (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 19:48
S11 2	166	(((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1)) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:31
S11 3	2	("5606664").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:31
S11 4	1	((("5606664").PN.) and (available or (actual$4 near4 (image$1 or picture or graphic)) or (line connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 19:51
S11 5	77	"5606664".URPN.	USPAT	OR	OFF	2004/10/26 19:37
S11 6	16	("4055808" | "4347498" | "4545013" | "4578773" | "4644532" | "4750136" | "4827411" | "4937743" | "4937825" | "4943998" | "5049873" | "5051987" | "5101348" | "5136690" | "5138615" | "5202985").PN.	USPAT	OR	OFF	2004/10/26 19:37
S11 7	1	((("5606664").PN.) and (available or (actual$4 near4 (image$1 or picture or graphic)) or (line connection))) and map$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:04
S11 8	7316	(telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:35
S11 9	1296	((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09

S12 0	1	((telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5))) same (((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09
S12 1	19	((telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5))) and (((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:09
S12 2	278	((visual with frame$1) and (representation and (status or condition))) and "345"/$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:13
S12 3	2274	(((((visual or physical) same (frame$1 or device$1 or (network near3 system$1))) and (representation and (status or condition))) and "345"/$.ccls.) not (((((visual or physical) near3 frame$1) and (representation and (status or condition))) and "345"/$.ccls.)) and (view$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:14
S12 4	26531	((visual or physical or actual) with (frame$1 or device$1 or (network near5 system$1))) and (representation and (status or condition))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:15
S12 5	151	((((visual or physical or actual) with (frame$1 or device$1 or (network near5 system$1))) and (representation and (status or condition))) and ((telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5)))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/26 20:15
S12 6	151	(((visual or physical or actual) with (frame$1 or device$1 or (network near5 system$1))) and (representation and (status or condition))) and ((telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:16

S127	151	(((((visual or physical or actual) with (frame$1 or device$1 or (network near5 system$1))) and (representation and (status or condition))) and ((telephone phone) near5 (switch$4 near3 (board frame control$4 plug$5)))) not ((((network phone) near5 (connect$4 near5 (line$1 port$1 pin$1))) with (jump$4 or (switch$3 near3 card) or pin$1)) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 20:16
S128	15661	(remot$4 near5 control$4) near5 (phone telephone network component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S129	480834	(switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S130	215	((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 21:59
S131	108	(((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) and (pin frame block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:00
S132	11	(((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) same (pin frame block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:02
S133	97	((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) and (pin frame block)) not ((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) same (pin frame block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:02

S13 4	7	(((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) and (pin frame block)) not ((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) same (pin frame block))) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:03
S13 5	90	((((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) and (pin frame block)) not ((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) same (pin frame block))) not (((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) and (pin frame block)) not ((((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4))) same (pin frame block))) and (user near2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:04
S13 6	25489	(remot$4 near5 control$4) with (phone telephone network component$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:11
S13 7	796056	(switch$3 chang$3 swap$4 place) with (line$1 hub connection jack$1 plug$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12

S138	850	((remot$4 near5 control$4) with (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) with (line$1 hub connection jack$1 plug$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S139	635	(((remot$4 near5 control$4) with (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) with (line$1 hub connection jack$1 plug$4))) not (((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S140	55	((((remot$4 near5 control$4) with (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) with (line$1 hub connection jack$1 plug$4))) not (((remot$4 near5 control$4) near5 (phone telephone network component$1)) with ((switch$3 chang$3 swap$4 place) near5 (line$1 hub connection jack$1 plug$4)))) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 22:12
S141	2	("6310619").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 19:55
S142	2	("5999179").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 21:43
S143	2	("5761432" | "5848243").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/11 21:45
S144	4	(switch near4 (board or pin$1)) with ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:12
S145	24	(switch near4 (board or pin$1)) same ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14

S146	20	S145 not S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:13
S147	1158	((board or pin$1)) same ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14
S148	445	((board or pin$1)) with ((available or current) near4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:14
S149	466	(network near4 monitor$4) with (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:16
S150	0	S149 same S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:15
S151	2	S149 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:15
S152	29519	(network near4 monitor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:16
S153	2	S152 with S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:17
S154	2	S152 same S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:17
S155	48	S152 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:18

S15 6	46	S155 not S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:18
S15 7	2	("6236395").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/11 22:58